ISO 9001 Management System Certificate



Certificate Number : JQA-1283

Organization:

POLYPLASTICS CO., LTD.

JR SHINAGAWA EAST BUILDING 13F, 18-1 KONAN 2-CHOME, MINATO-KU, TOKYO, JAPAN







JQA certifies that the above organization operates the Quality Management System, within the scope of the Appendix attached, which has been assessed and found to comply with the requirements of;

ISO 9001 :2015 / JIS Q 9001 :2015

Registration Date

: May 24, 1996

Last Renewal Date : November 15, 2023

Expiry Date

: November 14, 2026

Feel free to contact JQA for the validity of this certificate.

HIROAKI ISHII PRESIDENT

1-25 KANDASUDACHO, CHIYODA-KU, TOKYO, JAPAN

Ishii

JAPAN QUALITY ASSURANCE ORGANIZATION

To be used in conjunction with attached Appendix.

Member of IQNET



ISO 9001 Appendix



Certificate Number: JQA-1283

1 / 1

Organization:

POLYPLASTICS CO., LTD.

Scope of Registration:

THE DESIGN / DEVELOPMENT, MANUFACTURE AND SALES OF FOLLOWING PRODUCTS.

1. POM (POLYOXYMETHYLENE) RESIN

2. PBT (POLYBUTYLENE TEREPHTHALATE) RESIN

3. PPS (POLYPHENYLENE SULFIDE) RESIN

4. LCP (LIQUID CRYSTALLINE POLYMER)

5. GF-PET (GLASS FIBER REINFORCED POLYETHYLENE TEREPHTHALATE)

AND DESIGN / DEVELOPMENT AND SALES OF FOLLOWING PRODUCTS

6. COC (CYCLIC OLEFIN COPOLYMER) RESIN

7. LFT (LONG FIBER REINFORCED THERMOPLASTICS)

ASSOCIATED ORGANIZATION:

- ·SUPPLY DIVISION (FUJI PLANT, LOGISTICS CENTER, ETC.) 973 MIYAJIMA, FUJI, SHIZUOKA, JAPAN [MANUFACTURING].
- ·RESEARCH AND DEVELOPMENT DIVISION 973 MIYAJIMA, FUJI, SHIZUOKA, JAPAN [DESIGN / DEVELOPMENT].
- ·OSAKA BRANCH

GRAND FRONT OSAKA TOWER B 31F, 3-1 OFUKA-CHO, KITA-KU, OSAKA, JAPAN

·NAGOYA BRANCH

JP TOWER NAGOYA BUILDING 25F, 1-1 MEIEKI 1-CHOME, NAKAMURA-KU, NAGOYA, AICHI, JAPAN [SALES].

Registration Date

: May 24, 1996

Last Renewal Date

: November 15, 2023

HIROAKI ISHII PRESIDENT

-Oshii

Expiry Date

: November 14, 2026

Feel free to contact JQA for the validity of this certificate.

JAPAN QUALITY ASSURANCE ORGANIZATION

This Appendix is an integral part of the Certificate and should only be used in conjunction with the Certificate.



